

By Ignacio del Riego

<http://htmlkit.com/go/plugin/irhtmlshow>



Latest Info:	Plugin page on the Web
Version:	0.7
Date Updated:	06-Dec-2004
Downloads:	6940 (as of 24-Dec-2004)
Average Rating:	4.0 / 5 (as of 24-Dec-2004)
Author:	Ignacio del Riego
Translations:	Español, more...

Description

Outlines specified tags while previewing HTML documents.

Features:

- Makes it easier to visualize page layouts.
- Adds the ability to highlight specific tags (or tags with specific attributes) in the preview.
- Options for locating deprecated tags and attributes.
- Optionally hide images while previewing.
- Preferences dialog for changing the color, size and style of outlines.
- Load images and other page objects from a local path or a remote server by changing the BASE HREF setting.
- Preview using internal browser windows (default) or external browsers (optional setting).
- Zero-setup preview (no need to create preview rules).

Shortcuts:

- Outline TABLEs, DIVs, paragraphs, PRE tags, FORMs, lists, heading tags or images.
- Outline multiple block-level tags.
- Outline the specified tags, optionally with specific IDs or attributes.

- Quickly locate deprecated tags such as FONT, CENTER and U.
- Highlight tags with deprecated attributes such as align, bgcolor, color, IMG border / hspace / vspace, HR noshade / size and TD height / width.
- Outline tags with inline styles.

Usage:

- To preview the current document with outlines of block-level tags: invoke the plugin by clicking its icon.
- To outline a specific tag or attribute: open the plugin drop-down menu and select the related option.
- To change the style of outlines: select Settings from the plugin menu, check the Custom Colors option and click OK to access outline style properties.
- To preview a page while hiding images: open the document and select Hide Images from the plugin menu.

Notes:

- Majority of menu options can function in the default internal browser (no changes necessary). Options marked with (*) are designed to work in Gecko mode. If the optional Gecko mode is enabled, the plugin will use the Gecko preview as necessary.

Requirements

- HTML-Kit Build 292

Download

- Address:
<http://htmlkit.com/go/plugin/irhtmlshow>
- Download size: 6.28 KB

Support Options

- Support Forums:
<http://htmlkit.com/newsgroups/>
- irHTMLShow home
- Visit the Author's Website:
<http://www.ignside.net/>

See Also

- irImgBrowser
- irAMPmgr
- irLinkChecker
- irPHPIspect

- irShowMatchingParens
- irODBC
- irDebugPHP
- irBBCode
- irQuotes
- irTranslationSpanish

24-Dec-2004

<http://www.htmlkit.com/plugins/>

Common Questions

Q: How do I install irHTMLShow?

A: Download the "irHTMLShow" plugin. It's not necessary to unzip the *.zip file, HTML-Kit will expand it to the appropriate directory during the installation.

Select "Install | Install Plugin" from HTML-Kit's "Tools" menu. Point to the downloaded *.zip file and click "OK."

If any additional prompts appear, follow them to complete the installation.

Q: How do I run it?

A: MyPlugins

irHTMLShow's icon will appear on the "MyPlugins" tab on HTML-Kit's Actions Bar. It can also be invoked from the "Actions | MyPlugins" sub menu.

Q: Which programming language was used to write it?

A: irHTMLShow was written in hkScript. More plugins written in hkScript can be found on the Plugins page.

Q: Whats' the quickest way to uninstall irHTMLShow?

A: Right click the irHTMLShow icon on the Actions Bar and select "Uninstall." Alternatively, the "Tools | Install | Uninstall Plugins" menu option in HTML-Kit can be used to uninstall this and other plugins.

Q: Do I need the exact versions of software listed under the Requirements?

A: The versions listed are the minimum versions required by this plugin. For example, a plugin that requires HTML-Kit Build 290 will run on HTML-Kit Build 292 as well.

Q: What's the best way to check which version of HTML-Kit I'm using?

A: The build number can be found on the "About" dialog, which is located on HTML-Kit's "Help" menu.