


hkDuplicateFile



<http://htmlkit.com/go/plugin/hkduplicatefile>



Version:	0.91
Date Updated:	08-Jan-2006
Author:	HTML-Kit Support
Translations:	Nederlands, more...

Description

Creates multiple copies of a file under different names.

Features:

- Creates multiple copies of a file under different names.
- Verifies if the source file exists as it's being selected and checks the format of the output folder path.
- Uses absolute path when selecting the source file [new v0.91].
- Lists the full path of target files and displays a warning if any of the target files already exists.
- Fields "New File Name Prefix" and "New File Name Suffix" give the ability to list the prefix and the suffix (or the file extension) shared by the listed files [new v0.91].

Usage:

- To make multiple copies of a file: invoke the plugin and select the "Copy From" source file. The "... " button can be used to invoke the file selection dialog. Enter the "Copy To" output folder. Within a second or so, the preview window will display more information about the specified files and folders. List the target file names, one file name per line. If all file names use the same extension, the "New File Name Suffix" field can be used to enter the extension once, instead of entering the extension in each file name. Wait a couple of seconds for the preview window to refresh the file information. Check the information and click OK to start copying files.

Requirements

- HTML-Kit Build 292

Download

- Address:
<http://htmlkit.com/go/plugin/hkduplicatefile>
- Download size: 3.29 KB

Support Options

- Support Forums:
<http://htmlkit.com/newsgroups/>

Common Questions

Q: How do I install hkDuplicateFile?

A: Download the "hkDuplicateFile" plugin and save it to a folder of your choice (for example, c:\webfiles\). It's not necessary to manually extract the *.zip file, HTML-Kit will expand it to the proper folder during the installation.

Select "Install | Install Plugin" from HTML-Kit's "Tools" menu. Point to the downloaded *.zip file and click "Open."

If any additional prompts appear, follow them to complete the installation.

Q: How do I run it?

A: Batch Actions

hkDuplicateFile's icon will appear on the "Batch Actions" tab on HTML-Kit's Actions Bar. It can also be invoked from the "Actions | Batch Actions" sub menu.

Q: Which programming language was used to write it?

A: hkDuplicateFile was written in hkScript. More plugins written in hkScript can be found on the Plugins page.

Q: Whats' the quickest way to uninstall hkDuplicateFile?

A: Right click the hkDuplicateFile icon on the Actions Bar and select "Uninstall." Alternatively, the "Tools | Install | Uninstall Plugins" menu option in HTML-Kit can be used to uninstall this and other plugins.

Q: Do I need the exact versions of software listed under the Requirements?

A: The versions listed are the minimum versions

required by this plugin. For example, a plugin that requires HTML-Kit Build 290 will run on HTML-Kit Build 292 as well.

Q: What's the best way to check which version of HTML-Kit I'm using?

A: The build number can be found on the "About" dialog, which is located on HTML-Kit's "Help" menu.

08-Jan-2006

<http://www.htmlkit.com/plugins/>