

Latest Info:	Plugin page on the Web
Version:	1.11
Date Updated:	05-Nov-2000
Author:	HTML-Kit Support
Audience:	Plugin Developers

Description

Customizable HTML tags and attributes plugin. Includes hkScript source code and the plugin definition file which can be used with the HTML-Kit Plugins Generator to add new tags and attributes. If you make significant changes, please email the updated *.hpd file so that other users can have the latest tags/attributes menus. Includes additions from Tapio Markula.

Download

- (this resource is intended for plugin developers)
- Address:
<http://htmlkit.com/go/plugin/htmlall>
- Download size: 20.88 KB

Support Options

- Support Forums:
<http://htmlkit.com/newsgroups/>
- HTMLAll help

Common Questions

Q: How do I install HTMLAll?

A: Download the "HTMLAll" plugin. It's not necessary to unzip the *.zip file, HTML-Kit will expand it to the appropriate directory during the installation.

Select "Install | Install Plugin" from HTML-Kit's "Tools" menu. Point to the downloaded *.zip file and click "OK."

If any additional prompts appear, follow them to complete the installation.

Q: How do I run it?

A: Tools

HTMLAll's icon will appear on the "Tools" tab on HTML-Kit's Actions Bar. It can also be invoked from the "Actions | Tools" sub menu.

Q: Whats' the quickest way to uninstall HTMLAll?

A: Right click the HTMLAll icon on the Actions Bar and select "Uninstall." Alternatively, the "Tools | Install |

Uninstall Plugins" menu option in HTML-Kit can be used to uninstall this and other plugins.

Q: Do I need the exact versions of software listed under the Requirements?

A: The versions listed are the minimum versions required by this plugin. For example, a plugin that requires HTML-Kit Build 290 will run on HTML-Kit Build 292 as well.

Q: What's the best way to check which version of HTML-Kit I'm using?

A: The build number can be found on the "About" dialog, which is located on HTML-Kit's "Help" menu.

24-Dec-2004

<http://www.htmlkit.com/plugins/>