

mcPWrap



By Mark Cunningham

<http://htmlkit.com/go/plugin/mcpwrap>

```
Paragraph 1: selected
Paragraph 2: blocks
Paragraph 3: of text
↓ ↓ ↓ ↓
<p>Paragraph 1: selected</p>
<p>Paragraph 2: blocks</p>
<p>Paragraph 3: of text</p>
```

Version:	1.0
Date Published:	22-Mar-2004
Downloads:	1,510+ (as of 31-Dec-2005)
Average Rating:	4.0 / 5 (as of 31-Dec-2005)
Author:	Mark Cunningham

Description

Wraps selected blocks of text that are separated by a blank line with `<p>` tags.

Usage:

- Select a block of text and invoke the plugin. If the selected text contain multiple paragraphs of text, make sure that there's at least one empty line between the paragraphs.

Requirements

- HTML-Kit Build 292 or 290
- If using Build 290, hkScript 290.1

Download

- Address:
<http://htmlkit.com/go/plugin/mcpwrap>
- Download size: 2.75 KB

Support Options

- Support Forums:
<http://htmlkit.com/newsgroups/>
- Help page
- Visit the Author's Website:

<http://www.marksvirtualplayground.com/webauthoring/hk/myplugins/>

See Also

- mcWrapAtColumn
- mcHybridList

- mcComIt
- mcMultiTag
- mcCapLet
- mcLinesToLinks
- mcHeaderP
- mcInsertSpaces
- mcMakeList

Common Questions

Q: How do I install mcPWrap?

A: Download the "mcPWrap" plugin and save it to a folder of your choice (for example, c:\webfiles\). It's not necessary to manually extract the *.zip file, HTML-Kit will expand it to the proper folder during the installation.

Select "Install | Install Plugin" from HTML-Kit's "Tools" menu. Point to the downloaded *.zip file and click "Open."

If any additional prompts appear, follow them to complete the installation.

Q: How do I run it?

A: Tools
mcPWrap's icon will appear on the "Tools" tab on HTML-Kit's Actions Bar. It can also be invoked from the "Actions | Tools" sub menu.

Q: Which programming language was used to write it?

A: mcPWrap was written in hkScript. More plugins written in hkScript can be found on the Plugins page.

Q: Whats' the quickest way to uninstall mcPWrap?

A: Right click the mcPWrap icon on the Actions Bar and select "Uninstall." Alternatively, the "Tools | Install | Uninstall Plugins" menu option in HTML-Kit can be used to uninstall this and other plugins.

Q: Do I need the exact versions of software listed under the Requirements?

A: The versions listed are the minimum versions required by this plugin. For example, a plugin that requires HTML-Kit Build 290 will run on HTML-Kit Build 292 as well.

Q: What's the best way to check which version of HTML-Kit I'm using?

A: The build number can be found on the "About" dialog, which is located on HTML-Kit's "Help" menu.

Q: What's this requirement for hkScript?

A: hkScript 290.1 requirement is only applicable to the users of the older HTML-Kit Build 290. Since the latest version of hkScript is already included in HTML-Kit Build 292, the users of Build 292 can ignore it.

31-Dec-2005

<http://www.htmlkit.com/plugins/>